

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director
Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

For a petition to be considered valid it must:

1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water
Room W264
402 West Washington Street
Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22893

Stream : West Branch Fish Creek

Applicant : Bill LaSalle
5832 Hastler Road
Leo, IN 46765-9761

Description : An existing, drained wetland basin will be restored through construction of a ditch plug, tile removal, and addition to an existing levee. Approximately 750' of additional levee will be connected to an existing levee at the site. It will be 10' high and have 4:1 and 3:1 sideslopes. Fill material for the levee and ditch plug will be excavated from the wetland basin. A rock chute will be constructed to act as an emergency spillway. A water control structure will be installed in the ditch plug. Details of the project are contained in information and plans received at the Division of Water on May 17, 2004.

Location : Along the left (east) bank, beginning approximately 500' downstream (south) of the County Road 200 North stream crossing
near Angola, York Township, Steuben County
N½, NW¼, Section 18, T 37N, R 15E, Clear Lake, IN-OH-MI Quadrangle
Quad Code: 4108467
UTM Coordinates: Downstream 4615340 North, 678615 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22894

Stream : St. Joseph River

Applicant : Alice E Wiley
54470 Meadowbank Lane
Elkhart, IN 46514-4663

Description : An approximately 194' long steel sheet piling seawall will be constructed along the bank and will connect to existing seawalls at the upstream and downstream limits of the project. The seawall will be installed using 10' long x 18" wide x 7 gauge steel piling driven approximately 7' into the riverbed and anchored with steel deadmen. A steel top cap will be installed along the full length of the seawall. The wall will be backfilled with gravel and graded to match existing grades. Details of the project are contained in information and plans received at the Division of Water on May 17, 2004.

Location : Along the right (west) bank, approximately 3000 feet downstream of the County Road 17 stream crossing
near Elkhart, Osolo Township, Elkhart County
SW $\frac{1}{4}$, SW $\frac{1}{4}$, NE $\frac{1}{4}$, Section 36, T 38N, R 5E, Elkhart Quadrangle
Quad Code: 4108568
UTM Coordinates: Downstream 4617175 North, 591760 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22895

Stream : Kokomo Creek

Applicant : Taylor Township RSD
Russell Adair
PO Box 105
Hemlock, IN 46901-0105

Description : An outfall structure will be constructed along the bank to provide drainage for a proposed waste water treatment plant and access drive located landward of the floodway. Approximately 250' of an 18" diameter outfall pipe will be buried in the floodway. The pipe will terminate with a concrete end section that will conform to the bank slope. Riprap will be placed at the base of the end section. Details of the project are contained in information and plans received at the Division of Water on May 17, 2004.

Location : Along the left (south) bank, approximately 2900' downstream (southwest) of the County Road 400 East stream crossing
near Center, Taylor Township, Howard County
SW¼, SW¼, NE¼, Section 15, T 23N, R 4E, Kokomo East Quadrangle
Quad Code: 4008641
UTM Coordinates: Downstream 4477085 North, 579725 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Application # : FW-22896

Stream : Wildcat Creek

Applicant : City of Kokomo
Carey Stranahan
100 South Union Street
Kokomo, IN 46901-4608

Description : An approximately 140' x 70' recreational skate park will be developed in the floodway. Details of the project are contained in information and plans received at the Division of Water on May 17, 2004..

Location : Along the right (north) overbank, approximately 500' downstream of the Waterworks Road stream crossing
at Kokomo, Center Township, Howard County
NE¼, NW¼, SE¼, Section 31, T 24N, R 4E, Kokomo East Quadrangle
Quad Code: 4008641
UTM Coordinates: Downstream 4481590 North, 575175 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22897

Stream : Unnamed Tributary White
Lick Creek

Applicant : Vernon E and Theresa M Ploughe
910 North Green Street
Brownsburg, IN 46112-1033

Description : A new culvert crossing will be placed to carry a proposed parking lot across the stream. The proposed parking lot will serve commercial developments located landward of the floodway. The new crossing will consist of 280' linear feet of a 8' x 24' box culvert. Approximately 200' of the channel will be relocated upstream of the crossing to provide a better flow transition into the culvert system. Riparian plantings will be placed upstream of the culvert. Details of the project are contained in information and plans received at the Division of Water on May 14, 2004.

Location : Beginning at the Interstate 74 stream crossing and continuing upstream approximately 800'
DOWNSTREAM: near Brownsburg, Brown Township, Hendricks County
W½, NE¼, Section 2, T 16N, R 1E, Brownsburg Quadrangle
Quad Code: 3908674
UTM Coordinates: Downstream 4412205 North, 522015 East
UPSTREAM:
UTM Coordinates: Upstream 4412490 North, 552145 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22900

Stream : West Fork White River

Applicant : Blue Star Sand and Gravel
Art Collier
9640 Augusta Road, Suite 444
Carmel, IN 46032-9600

Description : A sand and gravel operation will be constructed in the floodway. Two areas, measuring approximately 500' x 1500' and 1200' x 1000', will be excavated. A 150' wide buffer zone will be maintained along the overbank for the entire length of the project. In addition, an approximately 1000' long x 20' high topsoil stockpile and a materials separator area will be constructed in the floodway. Existing buildings at the site will be used as offices and storage. Details of the project are contained in information and plans received at the Division of Water on May 19, 2004.

Location : Along the left (southeast) overbank, beginning just downstream of the confluence with Crooked Creek and continuing downstream approximately 2000'
DOWNSTREAM: near Martinsville, Harrison Township, Morgan County
SE¼, Section 33, T 13N, R 2E, Mooresville East Quadrangle
Quad Code: 3908653
UTM Coordinates: Downstream 4374325 North, 558770 East
UPSTREAM:
UTM Coordinates: Upstream 4374765 North, 559255 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22902

Stream : Sand Creek

Applicant : Board of Hamilton County Commissioners
Matt Knight
1700 South 10th Street
Noblesville, IN 46060

Description : The existing superstructure of the single span timber structure carrying 131st Street over the stream will be widened to accomodate the car/bus and pedestrian traffic from the nearby school. The existing deck will be increased by extending the south face of each abutment 16' 8", making the total deck width 42'. The approach roadways will not be raised. The channel will be cleared of silt and debris at the south end of the structure and riprap will be placed along both banks. Details of the project are contained in information and plans received at the Division of Water on May 21, 2004.

Location : At the 131st Street stream crossing
near Fishers, Fall Creek Township, Hamilton County
NW¼, NE¼, SW¼, Section 28, T 18N, R 5E, McCordsville Quadrangle
Quad Code: 3908588
UTM Coordinates: Downstream 4425750 North, 588060 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22903

Stream : Unnamed Tributary St.
Joseph River

Applicant : Mark Jackson
1203 Shoaff Road
Huntertown, IN 46748

Nate Jackson
1203 Shoaff Road
Huntertown, IN 46748-9305

Description : A new culvert crossing will be placed in the stream to carry a private driveway. The new crossing will consist of 2, parallel 6' diameter x 30' long metal culverts covered with riprap and limestone. Minor channel shaping will occur both downstream and upstream of the crossing to provide a better flow transition into and out of the culvert system. The shaped areas will be lined with a 12" thick layer of riprap. Details of the project are contained in information and plans received at the Division of Water on May 20, 2004.

Location : Approximately 3200' upstream (east) of the confluence with St. Joseph River near Spencerville, Spencer Township, DeKalb County
SE¼, SE¼, NE¼, Section 33, T 33N, R 14E, Saint Joe Quadrangle
Quad Code: 4108438
UTM Coordinates: Downstream 4571405 North, 675295 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : FW-22907

Stream : Williams Creek

Applicant : City of Carmel
Mike McBride
One Civic Square
Carmel, IN 46032-2584

Description : The existing 17.5' span by 8' rise bridge on vertical abutments carrying 136th Street over Williams Creek will be replaced with a new structure on essentially the same alignment to improve traffic flow. The new structure will be a 28' single span by 9.2' rise conspan (three-sided arch top) bridge. The structure will have an out-to-out length of 62' and a clear roadway width of 36'. The bottom of the stream will be armored with INDOT Class 1 riprap for scour. The structure will be skewed 10 degrees to align with the streamflow. The new approach roads will not be elevated a maximum of 4' above the existing approaches. However, our model anticipates no over the road flow. The existing structure will be completely removed. The low chord elevation at the crown will be 865.50'. The proposed Q100 backwater elevation is 864.4', the existing Q100 backwater elevation is 865.5'. Both the existing and proposed Q100 tailwater elevations are 864.1'. Details of the project are contained in information received electronically at the Division of Water on May 26, 2004.

Location : At the Spring Mill Road creek crossing
at Carmel, Clay Township, Hamilton County
Section 26, T 18N, R 3E, Carmel Quadrangle
Quad Code: 3908682

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312 IAC 10

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19825

Lake : Bear Lake

Applicant : East Shore Property Owners Association, Inc
Tim Kaufmann
PO Box 244
Wolf Lake, IN 46796-0244

Description : A dry fire hydrant will be installed for rural fire protection. The hydrant's pipe will be 6" diameter PVC material which will extend 80' into the lake to a level of 6' below the legal lake level. An intake screen will be placed at the end of the pipe. Details of the project are contained in information and plans received at the Division of Water on May 11, 2004.

Location : On the northern end of the east shore
near Wolf Lake, Noble Township, Noble County
NE¼, NW¼, NW¼, Section 17, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4575555 North, 624432 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19826

Lake : Bear Lake

Applicant : East Shore Property Owners Association, Inc
Tim Kaufmann
PO Box 244
Wolf Lake, IN 46796-0244

Description : A dry fire hydrant will be installed for rural fire protection. The hydrant's pipe will be 6" diameter PVC material which will extend 60' into the lake to a level of 6' below the legal lake level. An intake screen will be placed at the end of the pipe. Details of the project are contained in information and plans received at the Division of Water on May 10, 2004 and May 20, 2004.

Location : On the eastern end of the north shore
near Wolf Lake, Noble Township, Noble County
SW¼, SE¼, SW¼, Section 8, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4575711 North, 624374 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19827

Lake : Bear Lake

Applicant : East Shore Property Owners Association, Inc
Tim Kaufmann
PO Box 244
Wolf Lake, IN 46796-0244

Description : A dry fire hydrant will be installed for rural fire protection. The hydrant's pipe will be 6" diameter PVC material which will extend 40' into the lake to a level of 6' below the legal lake level. An intake screen will be placed at the end of the pipe. Details of the project are contained in information and plans received at the Division of Water on May 10, 2004 and May 20, 2004.

Location : Located at the end of 16th Street
near Wolf Lake, Noble Township, Noble County
SE¼, SE¼, SE¼, Section 7, T 33N, R 9E, Ormas Quadrangle
Quad Code: 4108535
UTM Coordinates: Downstream 4575734 North, 623906 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19833

Lake : Stone Lake

Applicant : Herb Ulery Sr
11635 West 710 North
Middlebury, IN 46540-7907

Description : A glacial stone seawall will be constructed across 299' of the applicant's frontage. The lakeward face of the wall will be located along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 17, 2004 and May 26, 2004.

Location : 11635 West 710 North
near Middlebury, Van Buren Township, LaGrange County
NW¼, SE¼, SW¼, Section 18, T 38N, R 8E, Middlebury Quadrangle
Quad Code: 4108566
UTM Coordinates: Downstream 4621847 North, 612033 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19835

Lake : Jimmerson Lake

Applicant : Daniel T Zimmerman
7462 West Haystack Lane
Frankfort, IL 60423-8738

Description : A new steel sheet piling seawall will be constructed along 50' of the applicant's frontage. The wall will be constructed along the lake's legal shoreline. Details of the project are contained in information and plans received at the Division of Water on May 18, 2004.

Location : 5110 North 450 West, lots 106 - 108 of Jimmerson Shores cooperative
near Angola, Jamestown Township, Steuben County
SW¼, SE¼, Section 30, T 38N, R 13E, Angola West Quadrangle
Quad Code: 4108561
UTM Coordinates: Downstream 4619960 North, 660442 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

- Application # : PL-19837
- Lake : Gooseneck Lake
- Applicant : Jeffrey Duguid
260 West Belle Fountaine
Pleasant Lake, IN 46779-9557
- Description : A 25' x 30' underwater beach will be constructed along 25' the applicant's 140' frontage by placing a uniform 6" layer of pea gravel on the lakebed. Details of the project are contained in information and plans received at the Division of Water on May 19, 2004 and May 26, 2004.
- Location : 2260 West Bellefountaine, lots 7 and 8
near Pleasant Lake, Steuben Township, Steuben County
NE¼, SW¼, NW¼, Section 24, T 36N, R 13E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4603606 North, 667303 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11
- Application # : PL-19838
- Lake : Pike Lake
- Applicant : Lanny Lane
1620 Lilac Lane
Warsaw, IN 46580-2228
- Description : An existing concrete seawall will be refaced with a layer of concrete across 80' of the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on May 19, 2004 and May 25, 2004.
- Location : 1620 Lilac Lane
near Warsaw, Wayne Township, Kosciusko County
NW¼, NE¼, SE¼, Section 5, T 32N, R 6E, Leesburg Quadrangle
Quad Code: 4108537
UTM Coordinates: Downstream 4567335 North, 596555 East
- Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19840

Lake : Hamilton Lake

Applicant : Barbara Brown
PO Box 294
Hamilton Lake
Hamilton, IN 46742-0294

Description : A concrete seawall will be constructed across 51' of the applicant's frontage. The wall will be placed along the lake's legal shoreline. The existing glacial stone wall will be removed. Details of the project are contained in information and plans received at the Division of Water on May 20, 2004 and May 26, 2004.

Location : 1595 Lane 280, lot 27, Forest Park
near Hamilton, Otsego Township, Steuben County
SE¼, NE¼, SW¼, Section 28, T 36N, R 14E, Hamilton Quadrangle
Quad Code: 4108458
UTM Coordinates: Downstream 4601440 North, 673125 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19843

Lake : Adams Lake

Applicant : Fannie Frutig
5940 South 550 East
Wolcottville, IN 46795-8812

Description : A concrete seawall will be refaced with a layer of concrete across 40' of the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on May 27, 2004.

Location : 5940 South 550 East, lot 6 in the Plat of Luttmann Landing
near Wolcottville, Johnson Township, LaGrange County
SE¼, SE¼, SW¼, Section 24, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : PL-19844

Lake : Adams Lake

Applicant : Karen M Reinking
5950 South 550 East
Wolcottville, IN 46795-8812

Description : A concrete seawall will be refaced with a layer of concrete across 40' of the applicant's frontage. The reface will be keyed to the wall's lakeward face. Details of the project are contained in information and plans received at the Division of Water on May 27, 2004.

Location : 5950 South 550 East, lot 5 in the Plat of Luttmann's Landing
near Wolcottville, Johnson Township, LaGrange County
SE¼, SE¼, SW¼, Section 24, T 36N, R 10E, Wolcottville Quadrangle
Quad Code: 4108553

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Application # : PL-19846

Lake : Upper Long Lake

Applicant : Luther Hunley
3145 West 4th Drive
Albion, IN 46701-9560

Description : A glacial stone seawall will be constructed across 70' of the applicant's frontage. Details of the project are contained in information and plans received at the Division of Water on May 28, 2004.

Location : Upper Long Lake near Albion in Noble County
near Albion, Noble County

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake Rule, 312 IAC 11

Indiana Department of Natural Resources / Division of Water

30 Day Public Notice Report

Application # : SG-114

Stream : West Fork White River

Applicant : Blue Star Sand and Gravel
Art Collier
9640 Augusta Road, Suite 444
Carmel, IN 46032-9600

Description : A sand and gravel operation will be constructed in the floodway. Two areas, measuring approximately 500' x 1500' and 1200' x 1000', will be excavated. A 150' wide buffer zone will be maintained along the overbank for the entire length of the project. In addition , an approximately 1000' long x 20' high topsoil stockpile and a materials separator area will be constructed in the floodway. Existing buildings at the site will be used as offices and storage. Details of the project are contained in information and plans received at the Division of Water on May 19, 2004.

Location : Along the left (southeast) overbank, beginning just downstream of the confluence with Crooked Creek and continuing downstream approximately 2000'
DOWNSTREAM: near Martinsville, Harrison Township, Morgan County
SE¼, Section 33, T 13N, R 2E, Mooresville East Quadrangle
Quad Code: 3908653
UTM Coordinates: Downstream 4374325 North, 558770 East
UPSTREAM:
UTM Coordinates: Upstream 4374765 North, 559255 East

Statute/Rule : Department of Natural Resources Act, IC 14-29-3, with the associated Navigable Waterway Rule, 312 IAC 6